

MANZEL GBL 7500

Safeguarding the world's Natural gas Distribution Network

Built to Last

Pump more to your bottom line

Graco offers three vigorously tested models engineered for long-life and reliability. Each model has patent pending, innovative designs to perform in best-practice applications for a durable solution that is hard to beat.

A BETTER DESIGN FOR BETTER PERFORMANCE

The new Manzel GBL 7500 has been engineered to deliver reliability in harsh environments. The improved design reduces vapor lock, piston tip wear and roller and can damage. The result means fewer services calls to save you time and money. Manufactured to maintain the highest industry standards for applications that require continuous-duty operation.

GBL 7500 Pumps

Suction

| | |
|-----------|--------|
| 3/16 inch | 24.091 |
| 1/4 inch | 24.092 |
| 3/8 inch | 24.093 |

Gravity

| | |
|-----------|--------|
| 3/16 inch | 24.094 |
| 1/4 inch | 24.095 |
| 3/8 inch | 24.096 |

Pressure


Features a larger 1/4" NPT inlet size to improve flow in high viscosity, cold weather applications and allows greater oil volume at higher pressures

| | |
|-----------|--------|
| 3/16 inch | 24.097 |
| 1/4 inch | 24.098 |
| 3/8 inch | 24.099 |

Accessories

Alarm

Shaft rotation low level alarm
24K466



Innovative Double Ball Outlet Check

The improved design geometry eliminates the spring used on older pump styles to make vapor lock a thing of the past

Armored Sight Glass

Heavy duty cage and shatter-proof glass provide easy visual indication of oil flow and volume

Dynamic Captured Seal Design

An improved O-ring design provides a better seal over old rubber boot or gasket designs to eliminate leak paths that lead to system contamination and pump damage

Stainless Steel Piston and Spring

High quality stainless steel piston and spring is corrosion resistant. Components are match fit to tight tolerances for consistent output with no by-pass

Superior Roller Bearing

Exclusive ball bearing roller design has superior rotation to help protect cam lobe from damage—roller bearings don't stick like simple roller-on-axle design. Larger diameter roller spreads load pressure evenly to reduce wear and improve pump life

Patent Pending Ball and Socket Design

Patent pending Ball-in-Socket design spreads force evenly over piston tip to avoid bending and wear for longer piston and rocker life. Precision stroke length (-0.05") eliminates vapor locks for improved flow and delivery.

Plot No.-B/5, IDCO Industrial Estate,
Jharsuguda (Odisha)

For More Information, Please Contact on :
Mobile : 7894468774
Email : Sales@proaid.in, Sale_uni@yahoo.com